

# CS 241: Systems Programming

## Lecture 21. Lifetimes

Spring 2024

Prof. Stephen Checkoway

# Data must live longer than references

```
fn main() {  
    let some_ref: &i32 = {  
        let x = 28;  
        &x  
    };  
    println!("The value of x is {some_ref}");  
}
```

**error[E0597]: `x` does not live long enough**  
--> lifetimes.rs:4:9

```
2 |     let some_ref: &i32 = {  
   |     ----- borrow later stored here  
3 |         let x = 28;  
   |         - binding `x` declared here  
4 |         &x  
   |         ^^ borrowed value does not live long enough  
5 |     };  
   |     - `x` dropped here while still borrowed
```

# Checking references in a function

Inside a single function, the BorrowChecker checks that all data outlive references to the data

The **lifetime of data** is how long the data will live

- ▶ until the end of the function
- ▶ until the end of a block
- ▶ until the end of the program
- ▶ until it is moved (e.g., by calling a function that takes ownership)

The **lifetime of a reference** is from its creation until its last use

# Checking references between functions

Passing a reference to a function or returning one is more complicated to check lifetimes

Options

- Whole program analysis
- **Annotations on functions specifying lifetime information**

Whole-program analysis has some drawbacks (including compilation time and nonlocal errors)

Consider this function which returns a reference to an i32 named x

```
fn foo() -> &i32 {  
    // Some code here  
    &x  
}
```

How long must x live for this code to avoid having a reference to data that is no longer alive?

- A. Until the end of foo
- B. Until the end of the block x is declared in
- C. Until the end of the program
- D. Until x is moved

# Returning a reference

We can't return a reference to a local variable

We must return a reference to something else

- ▶ A global variable
- ▶ A literal value (like `&83` or `"a literal string"`)
- ▶ **Some data passed by reference to the function**



This is the interesting case!

# Trying to return a reference

This function returns a string literal, but it doesn't actually compile

```
fn day_of_week(day: i32) -> &str {  
    match day {  
        0 => "Sunday",  
        1 => "Monday",  
        2 => "Tuesday",  
        3 => "Wednesday",  
        4 => "Thursday",  
        5 => "Friday",  
        6 => "Saturday",  
        _ => panic!("Not a valid day of the week!"),  
    }  
}
```

**error[E0106]: missing lifetime specifier**

→ lifetimes.rs:9:29

```
9 | fn day_of_week(day: i32) -> &str {  
    ^ expected named lifetime parameter
```

# 'static lifetime specifier

**error[E0106]: missing lifetime specifier**

--> lifetimes.rs:9:29

```
9 | fn day_of_week(day: i32) -> &str {  
    ^ expected named lifetime  
parameter
```

= **help:** this function's return type contains a borrowed value, but there is no value for it to be borrowed from

**help:** consider using the `'static` lifetime

```
9 | fn day_of_week(day: i32) -> &'static str {  
    ++++++
```



# Trying to return a reference

```
fn day_of_week(day: i32) -> &'static str {  
    match day {  
        0 => "Sunday",  
        1 => "Monday",  
        2 => "Tuesday",  
        3 => "Wednesday",  
        4 => "Thursday",  
        5 => "Friday",  
        6 => "Saturday",  
        _ => panic!("Not a valid day of the week!"),  
    }  
}
```

The `'static` in `&'static str` is a lifetime specifier that indicates the reference is valid until the end of the program

# Returning a reference to non-string literals

```
fn this_seems_useless_but_it_works() -> &'static i32 {  
    &83  
}
```

Literals are valid for the entire program

# Returning a reference to a global variable

```
static SOME_GLOBAL_INT: i32 = 42;

fn foo(which: bool) -> &'static i32 {
    static GLOBAL_BUT_ONLY_ACCESSIBLE_IN_F00: i32 = 8;
    if which {
        &SOME_GLOBAL_INT
    } else {
        &GLOBAL_BUT_ONLY_ACCESSIBLE_IN_F00
    }
}

fn main() {
    println!("{}", foo(false), foo(true));
}
```

# References based on arguments

`= help:` this function's return type contains a borrowed value, but there is no value for it to be borrowed from

The error message's help hints that to return a non 'static reference, the function needs **some other data** to base the reference on

That other data must come from function arguments

Consider this function which returns a reference to a &str

```
fn foo(arg: &str) -> &str {  
    todo!()  
}
```

What can foo return?

- A. Only string literals
- B. arg or string literals
- C. string literals or slices of string literals
- D. arg or slices of arg
- E. arg, slices of arg, string literals, or slices of string literals

# Reference arguments

```
fn foo(arg: &i32) -> &i32
```

Consider this code

```
fn main() {  
    let r = {  
        let x = 1005;  
        foo(&x)  
    };  
    println!("{r}");  
}
```

If this code ran, would it be safe? Could `foo()` return a reference that doesn't live long enough?

# Lifetime parameters

Lifetime parameters are a way to relate the **lifetimes of returned references** to the **lifetimes of reference arguments**

Lifetime parameters

- ▶ Start with a ' (e.g., 'a, 'b, 'c, 'foo)
- ▶ Are specified along with generic arguments inside <angle brackets>

# Lifetime parameter example

Declares a lifetime parameter

```
fn foo<'a>(arg: &'a i32) -> &'a i32 {  
    todo!()  
}
```

Specifies that arg has the lifetime 'a

Specifies that the return value lives at least as long as lifetime 'a

When `foo(&x)` is called, Rust uses the lifetime of `x` for `'a` so the returned reference can be used as long as `x` is alive



```
fn foo<'a>(arg: &'a i32) -> &'a i32 { /* ... */ }

fn main() {
    let r: &i32 = {
        let x = 1005;
        foo(&x)
    };
    println!("{r}");
}
```

Is this code valid? Put another way, can the compiler guarantee that the `r` reference doesn't outlive the data it points to? Why or why not?

A. The code is valid

C. It depends on what `foo` returns

B. The code is invalid

```
fn foo<'a>(arg: &'a i32) -> &'a i32 { /* ... */ }

fn main() {
    let r: &i32 = { foo(&1005) };
    println!("{r}");
}
```

Can the compiler guarantee that the `r` reference doesn't outlive the data it points to? What is the lifetime of the returned reference?

- A. Yes. The lifetime is until the end of `main`
- B. Yes. The lifetime is until the end of the program
- C. No. The lifetime is until the end of block `foo()` is called in which isn't long enough
- D. No. The lifetime of `&1005` isn't 'static

# Returning a reference based on a reference argument

```
fn first_word<'a>(s: &'a str) -> &'a str {  
    if let Some(idx) = s.find(' ') {  
        &s[..idx]  
    } else {  
        s  
    }  
}
```

In both cases, `first_word()` returns a reference (a string slice) that is valid for as long as the string pointed to by `s` is valid

```
fn main() {  
    let sentence = String::from("This is complicated!");  
    let word = first_word(&sentence);  
    println!("{word}");  
}
```

# Returning reference to a struct member

```
struct Foo {  
    name: String,  
}
```

```
impl Foo {  
    fn name<'a>(&'a self) -> &'a str {  
        &self.name  
    }  
}
```

We can return mutable references

```
    fn name_mut<'a>(&'a mut self) -> &'a mut String {  
        &mut self.name  
    }  
}
```

```
fn main() {  
    let mut x = Foo { name: String::from("Thing") };  
    x.name_mut().push_str(" One");  
    println!("{}", x.name());  
}
```

# Multiple lifetime parameters

```
fn append<'a, 'b>(target: &'a mut String, s: &'b str) -> &'a mut String {  
    target.push_str(s);  
    target  
}
```

```
fn main() {  
    let mut s = String::new();  
  
    append(append(&mut s, "foo"), "bar");  
    println!("{s}");  
}
```

Prints out: foobar

# Using the same lifetime parameter for multiple reference parameters

```
fn smallest<'a>(x: &'a mut i32, y: &'a mut i32) -> &'a mut i32 {  
    if *x < *y {  
        x  
    } else {  
        y  
    }  
}
```

When called, 'a will be the smallest lifetime satisfied by both x and y

The return value must live as long as both of them

# Implicit lifetime parameters or lifetime elision

When the function has one reference argument and one reference return value, no explicit lifetime parameter is required

- `fn foo(x: &i32) -> &i32`
- The lifetime of the return value is the same as the lifetime of the argument

If the function is a method with a `&self` or `&mut self` parameter, then the lifetime of the returned references is the lifetime of `self`

Otherwise the lifetime parameters must be specified

# first\_word with lifetime elision

```
fn first_word(s: &str) -> &str {  
    if let Some(idx) = s.find(' ') {  
        &s[..idx]  
    } else {  
        s  
    }  
}
```



# Methods with lifetime elision

```
struct Foo {  
    name: String,  
}  
  
impl Foo {  
    fn name(&self) -> &str {  
        &self.name  
    }  
  
    fn name_mut(&mut self) -> &mut String {  
        &mut self.name  
    }  
}
```

# Structs containing references

```
struct CounterRef<'a> {
    counter: &'a mut usize
}

impl<'a> CounterRef<'a> {
    fn count_zeros(&mut self,
                   nums: &[i32])
    {
        for num in nums {
            if *num == 0 {
                *self.counter += 1;
            }
        }
    }
}
```

```
fn main() {
    let mut count: usize = 0;
    let mut cr = CounterRef {
        counter: &mut count
    };

    cr.count_zeros(&[0, 3, 0, 4]);
    cr.count_zeros(&[-1, 0, 1, 2]);
    println!("{count}");
}
```