

## Problem Set #3

Due: Monday, April 6, 2015

**Problem 1** Prove that  $L = \{\langle M \rangle \mid M \text{ is a DFA that accepts } w^R \text{ whenever it accepts } w\}$  is decidable.

**Problem 2** Prove that a language  $L$  is decidable if and only if  $L^c$  is decidable.

**Problem 3** Consider the problem of determining whether a computer program written in Python ever prints out “Hello world!” when run on some input  $w$ . Prove that this problem is undecidable. Formally, consider the language

$$\{\langle P, w \rangle \mid P \text{ is a Python program that, on input } w, \text{ prints Hello world!}\}$$

and show that it is undecidable.

**Problem 4** Consider the problem of determining whether a TM  $M$  on input  $w$  ever attempts to move its head left when its head is on the left-most tape cell. Formulate this problem as a language and prove that it is undecidable.

**Problem 5** Show that the class of Turing-recognizable languages is not closed under complement.

**Problem 6** Consider the language

$$L = \{\langle M, w, q \rangle \mid M \text{ is a TM that when run on input } w \text{ never enters state } q\}.$$

If  $L$  is decidable, describe a TM that decides it. If  $L$  is not decidable, prove it by giving a reduction from an undecidable language  $L'$ . That is, show  $L' \leq L$ .

**Problem 7** In class, we proved that  $A_{\text{TM}} \leq \text{HALT}_{\text{TM}}$  (although we didn't use the terminology of reductions). Prove that  $\text{HALT}_{\text{TM}} \leq A_{\text{TM}}$ .

**Problem 8** Prove that  $EQ_{\text{CFG}}$  is co-Turing-recognizable by describing a TM that recognizes the complement.

**Problem 9** Prove that  $EQ_{\text{CFG}}$  is undecidable.

**Problem 10** Use the results of Problems 8 and 9 to show that  $EQ_{\text{CFG}}$  is not Turing-recognizable.