


CSCI 275: Programming Abstractions

**Lecture 9: apply & fold right
Fall 2024**

**Stephen Checkoway, Oberlin College
Slides gratefully borrowed from Molly Q Feldman**



Another tool: *apply*

Motivation

Imagine you have a list of numbers and you want to multiply them all together

We know `(* 3 5 7 -2 8 10)` works but how do we make that into a function if we don't know how many numbers we have ahead of time?

```
(define (product lst)
  ???)
```

We could write a recursive procedure but it'd be great if we could just use the elements in `lst` as the arguments to `*`

Applying a procedure to a list of arguments

`(apply proc lst)`

Applies `proc` to the arguments in `lst` and returns a single value

```
(define (maximum lst)
```

```
  (apply max lst))
```

```
(maximum '(1 3 4 2)) => (apply max '(1 3 4 2))
```

```
                    => (max 1 3 4 2)
```

```
                    => 4
```

```
(define sum
```

```
  (lambda (lst)
```

```
    (apply + lst))
```

```
(sum '(1 2 3)) => (apply + '(1 2 3)) =>
```

```
                (+ 1 2 3) => 6
```

+ in Racket can
take any number
of arguments

Applying with some fixed arguments

```
(apply proc v... lst)
```

`apply` takes a variable number of arguments where the final one is a list and applies `proc` to all of those arguments

```
(apply proc 1 2 3 '(4 5 6)) => (proc 1 2 3 4 5 6)
```

You're working with 3-d vectors stored as 3-element lists—e.g. ``(-5 8 6.2)`. You have a function `(vector-len x y z)` which gives the length of the vector and a list of vectors

```
(define vecs `((-5 8 6.2) (1 -2 3) ...))
```

How do you get a list of the lengths of the vectors?

A. `(map vector-len vecs)`

B. `(apply vector-len vecs)`

C. `(map (λ (v) (apply vector-len v)) vecs)`

D. `(apply (λ (v) (map vector-len v)) vecs)`

Even *more* abstractions, and
thus tools in our toolbox

Lots of similarities between functions

(sum lst)

```
(define (sum lst)
  (cond [(empty? lst) 0]
        [else (+ (first lst)
                  (sum (rest lst)))]))
```

(length lst)

```
(define (length lst)
  (cond [(empty? lst) 0]
        [else (+ 1
                  (length (rest lst)))]))
```

(map proc lst)

```
(define (map proc lst)
  (cond [(empty? lst) empty]
        [else (cons (proc (first lst))
                     (map proc (rest lst)))]))
```


Even for functions that don't immediately look like they fall into the pattern...

```
(remove* x lst)
```

```
(define (remove* x lst)
  (cond [(empty? lst) empty]
        [(equal? x (first lst)) (remove* x (rest lst))]
        [else (cons (first lst)
                     (remove* x (rest lst)))]))
```

Even for functions that don't immediately look like they fall into the pattern...

(remove* x lst)

```
(define (remove* x lst)
  (cond [(empty? lst) empty]
        [(equal? x (first lst)) (remove* x (rest lst))]
        [else (cons (first lst)
                     (remove* x (rest lst)))]))
```

We can rewrite them to look more like the others

```
(define (remove* x lst)
  (cond [(empty? lst) empty]
        [else (if (equal? x (first lst))
                  (remove* x (rest lst))
                  (cons (first lst)
                        (remove* x (rest lst))))])
```

Some similarities

Basic structure is the same!

```
(define (fun .. lst)
  (cond [(empty? lst) base-case]
        [else
         (let ([head (first lst)]
               [result (fun .. (rest lst))])
           (combine head result))]))
```

Function	base-case	(combine head result)
sum	0	(+ head result)
length	0	(+ 1 result)
map	empty	(cons (proc head) result)
remove*	empty	(if (equal? x head) result (cons head result))

```
(define (fun lst)
  (cond [(empty? lst) base-case]
        [else (let ([head (first lst)]
                    [result (fun (rest lst))])
                (combine head result))]))
```

lst: list of α

base-case: β

What kind of function is `combine`?
(input type to output type)

A. `combine`: $\alpha \times \beta \rightarrow \alpha$

B. `combine`: $\alpha \times \beta \rightarrow \beta$

C. `combine`: $\beta \times \alpha \rightarrow \alpha$

D. `combine`: $\beta \times \alpha \rightarrow \beta$

```
(define (fun lst)
  (cond [(empty? lst) base-case]
        [else (let ([head (first lst)]
                    [result (fun (rest lst))])
                (combine head result))]))
```

lst: list of α

base-case: β

combine: $\alpha \times \beta \rightarrow \beta$

If $\alpha = \text{boolean}$ and $\beta = \text{string}$,

what type is `(fun ' (#t #f #f))`?

A. Boolean

B. String

C. Boolean \rightarrow String

D. String \rightarrow Boolean

Next Up

Readings continue, see the course schedule!

Homework 1 is due tonight at 11:59pm via Github

- Commit/Push is free, do it often!

Weekly Reflection due **Monday**

HW2 released today – first commit **Monday**

Summary Problems posted before Monday

Elise's Computational Skills Hours: 7 to 9pm on Sunday in King 225