Lecture 23 – Cryptocurrency

Stephen Checkoway
University of Illinois at Chicago
CS 487– Fall 2017
Slides from Miller's ECE 422

The Times 03/Jan/2009 Chancellor on brink of second bailout for banks.



Bitcoin: A Peer-to-Peer Electronic Cash System


Satoshi Nakamoto satoshin@gmx.com www.bitcoin.org

Abstract. A purely peer-to-peer version of electronic cash would allow online payments to be sent directly from one party to another without going through a financial institution. Digital signatures provide part of the solution, but the main benefits are lost if a trusted third party is still required to prevent double-spending. We propose a solution to the double-spending problem using a peer-to-peer network. The network timestamps transactions by hashing them into an ongoing chain of

bitcoin-0.1.0.rar bitcoin-0.1.0.tgz

≈11,000 reachable nodes (Nov, 2017)

| RANK | COUNTRY | NODES | | | | |
|------|--------------------|---------------|--|--|--|--|
| 1 | United States | 3068 (27.83%) | | | | |
| 2 | Germany | 1854 (16.82%) | | | | |
| 3 | France | 767 (6.96%) | | | | |
| 4 | Ehina | 719 (6.52%) | | | | |
| 5 | Netherlands | 531 (4.82%) | | | | |
| 6 | Canada | 448 (4.06%) | | | | |
| 7 | United Kingdom | 437 (3.96%) | | | | |
| В | n/a | 378 (3.43%) | | | | |
| 9 | Russian Federation | 354 (3.21%) | | | | |
| 10 | Singapore | 220 (2.00%) | | | | |
| | | | | | | |



https://bitnodes.earn.com/

Market Capitalization

The total USD value of bitcoin supply in circulation, as calculated by the daily average market price across major exchanges.


Source: blockchain.info



source: blockchain.info



Bitcoin Paper Wallet



Front

Private Key


SK2wewraon7bWgKQDyvde7mit5716wpdMJEc1yDszgyJVEX1rgm






5K2wewraon7bWgKQDyvde7mit5716wpdNJEc1yDszgyJVEX1rgm





LATEST BLOCKS

| Height | Age | Transactions | Total Sent |
|--------|------------|--------------|--------------|
| 496234 | 16 minutes | 2356 | 5,709.20 BTC |
| 496233 | 19 minutes | 2750 | 6,188.44 BTC |
| 496232 | 21 minutes | 2119 | 4,374.67 BTC |
| 496231 | 23 minutes | 2532 | 6,900.23 BTC |









ATMs




Bitcoin is the first and largest of *hundreds* of cryptocurrencies

| ^ # | Name | Market Cap | Price |
|------------|-------------------|-------------------|------------|
| 4 | Bitcoin | \$158,904,206,299 | \$9513.62 |
| 2 | ♦ Ethereum | \$43,854,960,273 | \$456.96 |
| 3 | Bitcoin Cash | \$26,961,401,198 | \$1602.60 |
| 4 | - Ripple | \$9,675,917,364 | \$0.250523 |
| 5 | Bitcoin Gold | \$5,675,398,231 | \$340.39 |
| 6 | □ Dash | \$4,801,721,337 | \$622.62 |
| 7 | ② Litecoin | \$4,616,401,352 | \$85.48 |
| 8 | Monero | \$2,513,605,641 | \$163.19 |

| 9 | ♠ NEO | \$2,512,646,500 | \$38.66 |
|----|---------------|-----------------|------------|
| 10 | ₹ IOTA | \$2,222,893,210 | \$0.799737 |
| 11 | | \$2,168,465,125 | \$22.17 |
| 12 | ♥ NEM | \$1,954,071,000 | \$0.217119 |
| 13 | ♦ EOS | \$1,310,607,703 | \$2.62 |
| 14 | @ Qtum | \$1,106,200,781 | \$15.01 |
| 15 | * Cardano | \$1,027,194,237 | \$0.039619 |
| 16 | Zcash | \$921,864,283 | \$340.71 |

Bitcoin exchanges



mkraken bitcoin exchange

ETH: E1.81889 XBT: #0.01365

ACCOUNT

CHARTS

HE

Beware the middleman: Empirical analysis of Bitcoin-exchange risk Tyler Moore and Nicolas Christin, Financial Crypto 2013

Exchanges

| Overview Cur | | Currer | ncies | All Mark | cets | | | | | | | | | |
|--------------|--|---------------------|-----------------------|--|--|--------------------------|---------------------------------|---------------------------------------|------------------------------------|-------------------|--|------|-----------------|-----|
| Α | II KRW | NMC | IDR | RON | ARS | AUD | BGN | BRL | втс | CAD | CHF | CLP | CN | |
| GE | BP | HKD | HUF | ILS | INR | JPY | LTC | MXN | NOK | NZD | PEN | PLN | RUB | SAF |
| U/ | AΗ | USD | XRP | ZAR | | | | | | | | | | |
| | Symbol | | Latest Price | | 30 days | Average | | Volume | | Low/High | | Bi | | |
| JPY | | ncheck checkJPY | | | 138498 | | المها | | 132166.30 6331.70 4.79% | | 383,317.61 50,661,671,049.88 JPY | | 98450 150300 | |
| CNY | A STATE OF THE STA | | 7739 o min | No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa | A COLUMN TO A COLU | | 7402.24 336.77 4.55% | | 333,845.99 2,471,207,739.32 CNY | | 6300 8454.76 | | | |
| CNY | | | 7728.08 0 min ago | | ~ | 7361.13 366.95 4.99% | | 264,485.69 1,946,914,658.39 CNY | | 6434.9 8400.11 | | 7728 | | |
| EUR | ▼ Kraken UR krakenEUR | | 1133.986 0 min ago | | - | 1054.65 79.34 7.52% | | 246,392.24 259,856,705.96 EUR | | 847.999 1225 | | 113 | | |
| USD | BitStamp bitstampUSD | | 1200 0 min ago | | | 1114.20 85.80 7.70% | | 223,675.31 249,218,776.14 USD | | 913.73 1298 | | 120 | | |
| USD | btc-e btceUSD | | | | 1251 2 days, 6 hrs ago | | 1078.71 172.29 15.97% | | 165,215.69 178,219,756.55 USD | | 914 1269.999 | | 1250 | |
| USD | ItBit itbitUSD | | 1192 1 min | | ممهر | 1118.19 74.53 6.67% | | 95,202.12 106,453,658.42 USD | | 943.53 1293.55 | | 119 | | |
| USD | Kraken krakenUSD | | 1190 0 min ago | | | 1117.04 72.96 6.53% | | 66,201.09 73,948,990.16 USD | | 940.006 1288 | | 11 | | |
| PLN | | BitBay bitbayPLN | | 5050 2 min ago | | ممل | 4537.18 512.82 11.30% | | 32,008.43 145,227,931.72 PLN | | 3849 5394.6 | | 50 | |
| USD | LocalBitcoins localbtcusp | | 1632.65 3 min ago | | J.M | 1241.21 391.44 31.54% | | 27,629.53 34,293,925.71 USD | | 125.94 15625 | | 1302 | | |
| | bitcoin co id | | 16050 | 700 | 1 7 | 1/150 | 7600.26 | 22.6 | 46 11 | 1226 | 2200 | | | |

What are the security goals?

- Transactions are "valid".


 Alice can't spend more money than she has
- Transactions are "authorized"

 Alice can't spend Bob's money
- The service is "available"

 Alice can't prevent Bob from spending his own money
- Transactions are consistent, permanent

 Alice can't send Bob money, and then take it back!

Blockchain Data Structure



An account-based ledger (not Bitcoin)

time

Create 25 coins and credit to Alice ASSERTED BY MINERS

Transfer 17 coins from Alice to Bob_{SIGNED(Alice)}

Transfer 8 coins from Bob to Carol_{SIGNED(Bob)}

Transfer 5 coins from Carol to Alice_{SIGNED(Carol)}


Transfer 15 coins from Alice to David_{SIGNED(Alice)}

might need to scan backwards until genesis!

is this valid?

SIMPLIFICATION: only one transaction per block

A transaction-based ledger (Bitcoin)



SIMPLIFICATION: only one transaction per block

Merging value

```
time
               Inputs: ...
              Outputs: 17.0→Bob, 8.0→Alice
                                                                  SIGNED(Alice)
               Inputs: 1[1]
              Outputs: 6/0 \rightarrow Carol, 2.0 \rightarrow Bob
                                                                  SIGNED(Alice)
               Inputs: 1[0], 2[1]
              Outputs: 19.0→Bob
                                                                   SIGNED(Bob)
```

SIMPLIFICATION: only one transaction per block

Joint payments

```
time
                Inputs: ...
                Outputs: 17.0 \rightarrow Bob, 8.0 \rightarrow Alice
                                                                         SIGNED(Alice)
                Inputs: 1[1]
                Outputs: 6.0 \rightarrow Carol, 2.0 \rightarrow Bob
                                                                         SIGNED(Alice)
                Inputs: 2[0], 2[1]
                                                               two signatures!
                Outputs: 8.0→David
                                                              SIGNED(Carol), SIGNED(Bob)
                                 SIMPLIFICATION: only one transaction per block
```

The real deal: a Bitcoin transaction

"hash":"5a42590fbe0a90ee8e8747244d6c84f0db1a3a24e8f1b95b10c9e050990b8b6b", "ver":1. "vin_sz":2, "vout_sz":1, 1. metadata "lock_time":0, "size":404, "in":["prev_out":{ "hash": "3be4ac9728a0823cf5e2deb2e86fc0bd2aa503a91d307b42ba76117d79280260", "n":0 "scriptSig":"30440..." 2. input(s) "prev_out":{ "hash":"7508e6ab259b4df0fd5147bab0c949d81473db4518f81afc5c3f52f91ff6b34e", "n":0 "scriptSig":"3f3a4ce81...." "out":["value": "10.12287097", 3. output(s) "scriptPubKey": "OP_DUP OP_HASH160 69e02e18b5705a05dd6b28ed517716c894b3d42e OP_EQUALVERIFY OP_CHECKSIG"

The real deal: 1. transaction metadata

```
transaction hash — "hash":"5a42590...b8b6b",

"ver":1,

"vin_sz":2,

"vout_sz":1,

"lock_time":0,

housekeeping — "size":404,

...

}
```

The real deal: 2. transaction inputs

The real deal: 3. transaction outputs

Bitcoin Mining


How do we commit new transactions?

Why not have 1 trusted "transaction authority"? What happens if it's compromised?


Why not sample/count based on IP addresses?


Mining Bitcoins in 6 easy steps

- 1. Join the network, listen for transactions a. Validate all proposed transactions
- 2.Listen for new blocks, maintain block chain
 - a. When a new block is proposed, validate it
- 3. Assemble a new valid block
- 4. Find the nonce to make your block valid
- 5. Hope everybody accepts your new block
- 6. Profit!



Miners commit new transactions by solving puzzles






Mining difficulty adjusts over time


One block every 10 min

Bitcoin Hash Rate vs Difficulty (2 Months)



bitcoinwisdom.com

Evolution of mining



gold pan

sluice box

placer mining

pit mining








Mining difficulty "target" (2016-04-24)


256 bit hash output

64+ leading zeroes required


Current difficulty = 2⁶⁸



Miners use longest chain



Orphan block



More generally: "programmable money"



LOGIN #

Search by Addi

HOME

BLOCKCHAIN ~

ACCOUNT ~

TO

Contract Accounts

A total of more than > 999999 contracts found (~ 12,658,485.768 Ether)

Displaying the last 10000 records only

| Rank | Address | Balance |
|------|---|-----------------------------------|
| 1 | ② 0xab7c74abc0c4d48d1bdad5dcb26153fc8780f83e | 1,500,000.00134197094280789 Ether |
| 2 | ①xde0b295669a9fd93d5f28d9ec85e40f4cb697bae (EthDev) | 737,021.593340895468356351 Ether |
| 3 | ■ 0x61edcdf5bb737adffe5043706e7c5bb1f1a56eea | 580,000 Ether |
| 4 | ①xf1ce0a98efbfa3f8ebec2399847b7d88294a634e | 550,000.02 Ether |

Smart Contract Example (very high level)

If GOOG rises to \$1,000 by 30 June 2015, assign 10 shares from Alice to Bob and pay Alice \$10,000

Smart contracts

- Smart contracts run in a virtual machine (EVM)
- Turing-complete programming language
- Each operation is executed by every node
- Operations
 - -Read or write data
 - –Cryptographic primitives
 - –Send messages to other contracts
- Each operation costs "gas"

Smart contract problems

- Smart contracts often have exploitable vulnerabilities too
- The DAO (decentralized autonomous organization) was a type of venture capital fund run as a smart contract
- A bug was exploited leading to theft of ~\$60M
 - -Clawed back by a "hard fork" that cancelled the transaction

Hard fork

- Cryptocurrency splits into two different chains
- Longest chain is supposed to be authoritative but now there are two
- After DAO attack, Ethereum split into Ethereum (ETH) and Ethereum Classic (ETC)
- •What are the consequences of splitting the blockchain?

Bitcoin is used for Crime



Ransomware

Bitcoin may be an important tool for freedom/privacy

- A global currency that is not easily bound by borders
- Resilient architecture, seems difficult to shut down
- A competitive force leading banks to "blockchain" movement
- Disintermediation removing "middlemen"

Global energy usage of Bitcoin mining alone


Average yearly energy consumption of Bitcoin in 2017: 29 TWh


That's 0.13% of total, global energy consumption

For comparison, Ireland consumes 25 TWh

Morocco consumes 29 TWh

https://powercompare.co.uk/bitcoin/





Global energy usage of Bitcoin mining alone

Average yearly energy consumption of Bitcoin in 2017: 29 TWh


That's 0.13% of total, global energy consumption

For comparison, Ireland consumes 25 TWh, Morocco consumes 29 TWh

159 countries consume less energy than Bitcoin mining

Other cryptocurrencies consume less energy, globally, but still a significant amount

https://powercompare.co.uk/bitcoin/



Source: https://powercompare.co.uk/bitcoin

Brain Wallets

- Derive a private key from a password

secretkey = **hash**(salt, password)

- Hash function should be:
 - "Random Oracle" (PRF does not apply, collision resistance not enough)
 - Slow-ish to compute (require *space* not just *cpu*, no amortization)
- Also used for encrypting files on a hard drive
- If you send a bitcoin transaction to a "low entropy" brain wallet address it will be taken within seconds


Bitcoin is not completely private

- Pseudonymous, not "anonymous"
- Transaction graph analysis, clustering

Can be traced to exchanges

- Mixers..... they mix your coins, but might take them.
- Cryptography can avoid this!

Coinshuffle, Tumblebit, Zcash, and more...



https://people.csail.mit.edu/spillai/data/papers/bitcoin-transaction-graph-analysis.pdf